

اخلاق در پژوهش های علوم پزشکی

دکتر محسن رضائی آدریانی- پزشک عمومی دانشجوی PhD اخلاق پزشکی مرکز تحقیقات اخلاق و حقوق پزشکی

تلاش آمریکائی ها برای کشف واکسن شیگلا و استفاده از آن در افراد عقب افتاده



مرگ ۲۰۰۰ نفر از ژاپنی ها بدلیل تلاش پژوهشگران ژاپنی در مورد شناخت بیماری طاعون



Tuskegee Syphilis Study







(Courtesy National Archives)

Tuskegee Syphilis Study

• The Tuskegee syphilis experiment (also known as the Tuskegee syphilis study or Public Health Service syphilis study) was a clinical study conducted between 1932 and 1972 in Tuskegee, Macon County, Alabama, by the U.S. Public Health Service



www.Brown.edu




(Courtesy National Archives

The syphilis experiments in Guatemala

- <u>United State-sponsored human experiments</u> conducted in <u>Guatemala</u> from 1946 to 1948, with the cooperation of some Guatemalan health ministries and officials.
- Doctors infected soldiers, prisoners and mental patients with syphilis and other STIs, without the informed consent of the subjects, and then treated them with antibiotics.
- In October 2010, the U.S. formally apologized to Guatemala for conducting these experiments.

http://en.wikipedia.org/wiki/Guatemala_syphilis_experiment

انتقال بشه های آنوفل از مردابها به اردوگاهها برای درک نحوه انتقال بیماری



وارد کردن سنگ و شیشه به زخمها و جراحات ایجاد شده برای بررسی اثر سولفونامیدها در رفع عفونت



مرگ بسیاری از دو قلوها برای بررسی اثرات زنتیک



Sea water

- The sea water was sole source of fluid in 90 Gypsies for torture
- Sever physical disturbance or death within 6 to 12 day



www.jewishvirtuallibra

ry orc

Heteroplastic transplantation

Whole limb were amputated from live prisoners and sending to SS hospital for transplantation





A freezing experiment at Dachau concentration camp. Dr. E. Holzlöhner, left, professor of physiology at the Medical School of the University of Kiel, and Dr. Sigmund Rascher, right, observe a victim immersed in ice water. This particular man was a political prisoner. (Trial Exhibit – Office Chief of Counsel for War Crimes, Nuremberg)


The Nuremberg Code is a set of research ethics principles for human experimentation set as a result of the Subsequent Nuremberg Trials at the end of the Second World War in 1947.



نکات مهم کدهای نورنبرگ

- اهمیت رضایت
- نتایج آزمایش باید مفید بوده و راه دیگری برای انجام و وصول به آنها نباشد.
- آزمون نباید با آزار جسمی، روحی و مرگ همراه باشد.
 - آزمودنی آزاد باشد که هر وقت خواست بتواند که از پژوهش خارج شود.

The Declaration of Geneva was adopted by the General Assembly of the World Medical Association at Geneva in 1948 (and amended in 1968, 1984, 1994, 2005 and 2006). It is a declaration of physicians' dedication to the humanitarian goals of medicine and



PRINCIPLES FOR ALL MEDICAL ESEARCH



WORLD MEDICAL ASSOCIATION DECLARATION OF HELSINKI Ethical Principles for Medical Research Involving Human Subjects

Adopted by the 18th WMA General Assembly, Helsinki, Finland, June 1964

, and amended by the:

29th WMA General Assembly, Tokyo, Japan, October 1975
35th WMA General Assembly, Venice, Italy, October 1983
41st WMA General Assembly, Hong Kong, September 1989
48th WMA General Assembly, Somerset West, Republic of South Africa, October 1996
52nd WMA General Assembly, Edinburgh, Scotland, October 2000
53rd WMA General Assembly, Washington 2002 (Note of Clarification on paragraph 29 added)
55th WMA General Assembly, Tokyo 2004 (Note of Clarification on Paragraph 30 added)
59th WMA General Assembly, Seoul, October 2008
64th WMA General Assembly, Fortaleza, Brazil, October 2013

Preamble

•1 - 2

General Principles

•3 - 15

Risks, Burdens and Benefits

16 - 18

Vulnerable Groups and Individuals

19 - 20

Scientific
Requirements and
Research Protocols

•21 - 22

Research Ethics
Committees

•23

Privacy and Confidentiality

•24

Informed Consent

•25 - 32

Use of Placebo

•33

Post-Trial Provisions

•34

Research Registration
and Publication and
Dissemination of
Results

•35 - 36

Unproven Interventions in Clinical Practice

•37

نكات مهم بيانيه هلسينكي

- جدا نمودن تحقیقات درمانی از پژوهش های غیردرمانی.
- پروتکل پژوهشها باید مشخص بوده و توسط کمیته اخلاق تایید شده باشد.
- پژوهش روی آدمی صرفاً هنگامی باید صورت پذیرد که اهمیت آن از مخاطراتش بیشتر باشد خاصه آنکه داوطلبان سالم باشند.
 - پژوهش های پزشکی صرفاً هنگامی مجاز است که جامعه مورد پژوهش از نتایج آن بهره مند شوند.
 - افراد باید بتوانند داوطلبانه وارد پژوهش شده و هرگاه که خواستند ازپژوهش خارج شوند.
 - رضایت برای شرکت در بژوهش حتی الامکان باید کتبی باشد و اگر فرد نتواند رضایت بدهد قیم او باید رضایت بدهد

نكات مهم بيانيه هلسينكي

- · رازداری در هنگام پژوهش لازم است.
- اگر فردی مانند یک کودک فاقد صلاحیت قانونی برای رضایت باشد باید علاوه بر قیم از او نیز موافقت گرفته شود.
- استفاده از کار آزمایی های بالینی ودارونما هنگامی مجاز است که درمان اثبات شده ای وجود ندارد.
 - امتناع بیمار از شرکت در طرح تحقیقاتی هرگز نباید بر روابط بین پزشک و بیمار تاثیر بگذارد.

The Willowbrook Study

From 1963 to 1966, children diagnosed with mental retardation, who lived at the Willowbrook State Hospital in Staten Island, New York were deliberately infected with the hepatitis virus

www.und.nodak.edu



Tuskegee Syphilis Study

• The Tuskegee syphilis experiment (also known as the Tuskegee syphilis study or Public Health Service syphilis study) was a clinical study conducted between 1932 and 1972 in Tuskegee, Macon County, Alabama, by the U.S. Public Health Service



www.Brown.edu



(Courtesy National Archives

The **Belmont Report** is a report created by the former United States Department of Health and Human Services entitled "Ethical Principles and Guidelines for the Protection of Human Subjects of Research," in 1979



'TUSKEGEE' IN GUATEMALA, 1946-48



In 1946-48, Dr. John C. Cutler, a PHS Physician in a syphilis inoculation project in Guatemala,

co-sponsored by the PHS, the National Institutes of Health Guatemalan government.

